LEGLESS STACKER

TASKBOA

SALES BROCHURES

TASK®
THE AUSTRALIAN FORKLIFT COMPANY

FORKLIFT **SALES, SERVICE & RENTALS**

TASKFORKLIFTS.COM.AU
SALES@TASKAUSTRALIA.COM.AU
CALL US: 1300 13 2002

+ TASKBOA®
LEGLESS® STACKER

2.5-4.5m
Lift Height.

900 - 1200kg
Capacity.

Integrated
Tilting Carriage.

Responsive
Power Steering.

Low Carbon
Footprint.

Internal 240v
Charger.

LEGLESS® STACKER.

This Legless® Stacker is the ultimate stacker in accessibility and efficiency. The compact size of the BOA® allows operators to work in narrow, tight racking and aisles widths; without sacrificing capacity at lift heights.

Operator comfort and minimum steering effort are guaranteed with the top-mounted tiller arm and Task's electronic power steering. The tiller handle is equipped with a gas-assisted spring that gently returns the handle to its vertical position.

Conveniently located on the handle are the travel, lift and lower and tilt functions, which can be easy access without the operator needing to lift their hand from the handle.

Your operators can easily monitor their battery usage with the visible hour meter and battery indicator.

The BOA is equipped with a Curtis Controller system that is both innovative and functional, providing convenient diagnosis and repair options through its control system, making troubleshooting a breeze.

Additionally, the back cover allows for easy access to all key components for inspection and replacement.

BATTERY TECHNOLOGY.

The BOA® has also been designed with an in-built single phase charger, allowing operators to easily charge the unit from any standard single phase wall socket.

The BOA® uses an industrial battery, extending the operating usage time for longer between charges. An optional upgrade to the maintenance free, opportunity charge Nexsys® battery is also available. These are designed to rapidly charge in applications where charging is intermittent between use.

TASKBOA®
LEGLESS
STACKER

EMAIL: SALES@TASKAUSTRALIA.COM.AU **WEB:** TASKFORKLIFTS.COM.AU **CALL US:** 1300 13 2002

• ADELAIDE • SYDNEY • MELBOURNE • BRISBANE • SINGAPORE • SHANGHAI • DALLAS •

TASK

+ TASKBOA®
LEGLESS STACKER

Large Industrial Battery

Single-Point Battery Filling

Legless® Walkie Stacker

Latest Curtis® Controller

Genuine Parts Availablilty

1year Unlimited Hours Warranty
Manufacturers Warranty

STANDARD FEATURES.

- 900kg and 1200kg Capacity
- 2.5m - 4.5m Lifting Height
- Two stage, Wide View Mast Configurations
- TASK® 210ah Traction Battery
- In-built 240v Charger
- Intelligent AC Drive Motor
- Tilting Carriage as standard
- Responsive Electric Power Steering
- American Designed Curtis® Controller
- TASK® Transmission
- Single Point Battery Filling System Included
- Super Quiet Drive Motor
- Built and Tested to Exceed Australian Standards
- 1-year, Unlimited Hours Warranty
- Emergency Stop Button for Increased Safety

OPTIONAL EXTRAS.

Digital Weight Gauge

Different Length Tines

Special Build Options Available

NEXSYS® Battery Upgrade

TASKBOA®

LEGLESS
STACKER

EMAIL: SALES@TASKAUSTRALIA.COM.AU **WEB:** TASKFORKLIFTS.COM.AU **CALL US:** 1300 13 2002

• ADELAIDE • SYDNEY • MELBOURNE • BRISBANE • SINGAPORE • SHANGHAI • DALLAS •

TASK

+

2.5- 4.5
Lift Height

900 - 1200
KG Capacity

Integrated
Tilt Carriage

Built-In Single
Phase Charger

TECHNICAL INFO

	MODEL	TWO STAGE MAST				
Lift height metres		2.5	3.0	3.5	4.0	4.5
A. Rated capacity at 600mm l.C. Kg	BOA 900	900	900	900	800	650
	BOA 1200	1200	1200	1200	1100	1000
B. Lift height mm		2500	3000	3500	4000	4500
C. Extended height mm with load backrest		3680	4180	4680	5180	5680
D. Collapsed height mm		1780	2030	2280	2530	2780
E. Free lift mm		350				
F. Chassis length mm to face of forks	BOA 900	1226				
	BOA 1200	1436				
G. Chassis width mm		820				
G1. Width outside load wheels		1020				
H. Wheelbase mm	BOA 900	970				
	BOA 1200	1180				
I. Carriage width mm		660				
J. Chassis under clearance mm		80				
K. Turning radius mm	BOA 900	1100				
	BOA 1200	1310				
L. Weight less battery kg	BOA 900	1470	1490	1510	1530	1550
	BOA 1200	1500	1520	1540	1560	1580
M. Battery compartment size mm		340mm x 800mm x 480mm high				
N. Right angle stacking aisle mm		DIMENSION F + LOAD LENGTH + 100 mm				

BOA Technical Drawing





TASKBOA®

LEGLESS
STACKER

Due to continuous product improvement, specifications are subject to change without notice or obligation. Some systems and features shown are optional at extra cost.

EMAIL: SALES@TASKAUSTRALIA.COM.AU **WEB:** TASKFORKLIFTS.COM.AU **CALL US:** 1300 13 2002

• ADELAIDE • SYDNEY • MELBOURNE • BRISBANE • SINGAPORE • SHANGHAI • DALLAS •