



FORKLIFT SALES, SERVICE & RENTALS









SIDEWINDER® X4.2

TASK SUPPORT VEHICLE



4.2m Platform Height.



400kg Unit Capacity.



Flashing Safety Light and Alarm.



Safe & Secure Operator Compartment.



No License Required.



TAKE CONTROL.

Introducing the Sidewinder® X4.2- the ultimate solution for businesses looking to enhance safety, productivity, and efficiency in their warehouse, retail, distilleries, and other industrial and commercial operations.

Say goodbye to hazardous ladders, steps, and stools, and eliminate the need for a forklift with work cage and multiple staff members. The Sidewinder® allows for a wide range of elevated tasks to be completed with ease, including order picking, shelf stocking, inventory management, maintenance, and assembly.

Our electric power steering technology enables effortless maneuverability, even in tight spaces, while the functional, dualhand operating system ensures complete control of the unit. Plus, with dual USB ports, you can easily charge your handheld devices such as tablets, mobiles, and barcode guns, all while working at elevated heights.

The Sidewinder® Task Support Vehicle is the ideal solution for small volume order picking and restocking, significantly reducing labour costs and saving precious time. With its unparalleled versatility and efficiency, the Sidewinder® X4.2 is the ultimate work tool that will prove invaluable in many areas of your operation.

INDUSTRIES.



General Warehousing



Factory



General Engineering



Logistics & Distribution



Supermarkets



Retail



Wineries & **Breweries**



TASK SUPPORT

DEWINDER® XT

EMAIL: SALES@TASKAUSTRALIA.COM.AU

WEB: TASKFORKLIFTS.COM.AU



SIDEWINDER® XH.Z

TASK SUPPORT VEHICLE



Spacious Loading Tray



Maintenance Free Nexsys® Batteries



Reversing Camera



Latest Curtis® Controller

400kg Capacity

Reversing Camera Intelligent AC Drive Motor Responsive Power Steering

Digital Dash Display **LED Operator Lights**

Audible Movement Alarm

Internal Super-Fast Charger Designed and Tested by TASK® American Designed Curtis® Controller



Visual Wheel Location

4.2m Platform Height // 6.4m Picking Height

137ah Maintenance Free TASK® x Nexsys® Battery

STANDARD FEATURES.

Three stage mast configuration

Emergency Dead-man Foot Switch



Manufacturers Warranty



1

MAINTENANCE TASKS

The TASK® Sidewinder® is suitable for a variety of elected maintenance tasks including changing lights, and fittings, paiting and updating signage.



2

NARROW AISLES.

The TASK® Sidewinder® is ideal for those working in narrow aisles widths of





NO LADDERS.

No need for unsafe ladders, stools or steps to reach up high.





PICK ANYTHING, ANYWHERE.

The TASK® Sidewinder® can be utilised in the warehouses to pick, replenish and allow operators to record stock levels.

- 4200mm Platform Height
- 6400mm Picking Height
- 400kg Capacity (including operator)

TASK SUPPORT

EMAIL: SALES@TASKAUSTRALIA.COM.AU

WEB: TASKFORKLIFTS.COM.AU







TECHNOLOGY



Super-Fast Charging Times.



Max. Power Capacity.



Maintenance.



Longer Run Times.



Long-Life Cycle.



Partial Charge, Anytime.

TASK x NEXSYS® TECHNOLOGY.

The Nexsys® battery pack are an alternative to lithium and lead-acid batteries that offer faster charging, longer lifespan, lower total cost of ownership, greater safety, reduced maintenance, better performance in extreme temperatures, and environmental friendliness.

Nexsys® batteries have a faster charging time than both lead-acid and lithium batteries because they can handle higher charging rates without damage or reduced lifespan; this makes them ideal for material handling equipment.

They also last up to twice as long as lithium batteries, reducing the need for battery replacements and resulting in lower total cost of ownership over their lifespan.

Nexsys® batteries require no maintenance from the operator, reducing safety incidents around battery maintenance. This ultimately means less hassle for operators and reduced maintenance costs over time.

Nexsys® batteries are also designed to operate efficiently in extreme temperatures, making them ideal for use in hot and cold environments.

TASK are committed to minimising the environmental impact of manufacturing our walkie stackers, and the use of Nexsys® batteries adds to this. Nexsys® batteries are safer and more environmentally friendly than lithium batteries. They do not pose any fire or explosion risk, and are 99% recyclable.



TASK® BOA® X-Series Model Shown



TASK® BOA® X-Series Model Shown

POWER WHEN YOU NEED IT.



NEXSYS

BATTERY

EMAIL: SALES@TASKAUSTRALIA.COM.AU

WEB: TASKFORKLIFTS.COM.AU



SIDEWINDER® X4.2

TASK SUPPORT VEHICLE

		TASK® SIDEWINDER® X4.2
Load Capacity (Including Operator)	(kg)	400
Load Centre	(mm)	600
Mast Configuration		Triplex
Platform Height	(mm)	4200
Picking Height	(mm)	6400 *
Retained Capacity (at max. height)	(kg)	400
Load Tray Material		Steel
Load Tray Dimension	(mm)	780 x 305
Wheel Material		Polyurethane
Wheel size, Front	(mm)	152 x 75
Wheel size, Drive	(mm)	248 x 75
Collapsed Height	(mm)	1960
Overall Length (Tray Extended)	(mm)	2045
Overall Length (Tray Stowed)	(mm)	1740
Overall Width	(mm)	840
Operator Compartment Dimensions	(mm)	780 x 550
Ground clearance	(mm)	50
Travel speed	(km/h)	3.4km/h at Ground Level // 0.2km/h at 4.2m Lift
Service Weight (Without Battery Pack)	(kg)	1150
Battery Manufacturer		Enersys® Nexsys®
Battery Voltage	(v/ ah)	24v // 137ah
Minimum Battery Weight	(kg)	90kg
Charger		24v Internal Enersys® Super Fast Charger
Reversing Camera		Wireless Reversing Camera
Controller Manufacturer		Curtis® Controller
Transmission Manufacturer		TASK®

* Based on average height of 175cm and 45cm arm reach.

Due to continuous product improvement, specifications are subject to change without notice or obligation. Some systems and features shown are optional at extra cost.

SIDEWINDER® XT.N

TASK SUPPORT

EMAIL: SALES@TASKAUSTRALIA.COM.AU

WEB: TASKFORKLIFTS.COM.AU