

IC FORKLIFT

# TASK X SERIES

SALES BROCHURE



FORKLIFT **SALES, SERVICE & RENTALS**



[TASKFORKLIFTS.COM.AU](http://TASKFORKLIFTS.COM.AU)



[SALES@TASKAUSTRALIA.COM.AU](mailto:SALES@TASKAUSTRALIA.COM.AU)



CALL US: 1300 13 2002

# + TASK X-SERIES

## DUAL-FUEL TECHNOLOGY

The TASK X-Series is designed for optimal operator comfort, safety and efficiency. The new TASK X-Series is available with a 4.7m, 3 stage mast allowing operators to use the X-Series forklift inside a container if required.



3.3m - 6.5m  
Lift Height



1.8T - 7T  
Capacity



Container  
Mast Option



Side-Shift as  
Standard



5 Star Build  
Quality



Wide-View  
Mast



# TASK X-SERIES

## INDUSTRIES.



General  
Warehousing



Factory



General  
Engineering



Logistics &  
Distribution



Carpets &  
Flooring



Supermarkets



Retail



Construction



Wineries &  
Breweries

As a standard feature the TASK X-Series dual-fuel forklifts also come with Side-shift. The smooth handling regardless of whether the forklift is loaded, traveling or lifting makes the X-Series an ideal choice for a highly maneuverable forklift.

LPG  
FORKLIFT

EMAIL: SALES@TASKAUSTRALIA.COM.AU

WEB: TASKFORKLIFTS.COM.AU

CALL US: 1300 13 2002

• ADELAIDE • SYDNEY • MELBOURNE • BRISBANE • SINGAPORE • SHANGHAI • DALLAS •

# + TASKX-SERIES

## DUAL-FUEL TECHNOLOGY



Energy Efficient  
LED Lights

ODS

Operator  
Detection System



Reverse  
Assist Grip



Overhead  
Guard Protection



Wide-View  
Mast.

1year  
Unlimited Hours  
Warranty

Manufacturers  
Warranty

### STANDARD FEATURES.

- 1800kg - 7000kg Lifting Capacity
- 2.5m - 6.5m Lifting Height
- Two stage and three stage mast configurations
- Full Free Lift Available with 3-stage mast configuration
- Internal Combustion Engine
- Tilting Mast as standard
- Side-shift function as standard
- Electric Power Steering
- Proportional Controls for precise handling
- Excellent Leg Room in the operator compartment
- Intuitive Dash Display
- Wide mast for increase visibility
- Low exhaust emissions
- Built to Australian Standards

### OPTIONAL EXTRAS.



Container  
Mast.



Integrated Side-shift  
Fork Positioner.



Digital Weight  
Gauge.



Worker  
Accessories.



Rotator & Clamp  
Attachments.



Optional  
Camera.



# TASKX-SERIES

LPG  
FORKLIFT

EMAIL: SALES@TASKAUSTRALIA.COM.AU

WEB: TASKFORKLIFTS.COM.AU

CALL US: 1300 13 2002

• ADELAIDE • SYDNEY • MELBOURNE • BRISBANE • SINGAPORE • SHANGHAI • DALLAS •

# + TASKX-SERIES

## DUAL-FUEL TECHNOLOGY



PSI 4.3L  
Engine.



Automatic  
Transmission.



Enclosed Cabin  
Option.



77KW Engine  
Power.

	X50 - LPG Counterbalance Forklift		
Fuel Type	LPG		
Engine Manufacturer	PSI 4.3L		
Transmission	Automatic		
Load capacity/rated load	5000kg		
Load centre distance	500mm		
Mast Height	4.5m	4.5m	6.0m
Mast Configuration	Two Stage	Three Stage	
Collapsed Height	3070mm	2248mm	2255mm
Free Lift (with backrest)	160mm	883mm	1425mm
Capacity at Height (500mm Load Centre)	4500kg	4000kg	2200kg
Wheelbase	2000mm		
Service Weight	6750kg		
Tyres	Pneumatic		
Tilt of Mast (Forward/ Backward)	6/12°		
Length to face of forks	3175mm		
Fork dimensions	1070mm x 150mm x 50mm		
Overall width	1490mm		
Ground clearance (Below mast)	150mm		
Turning radius	2780mm		
Travel speed, laden/unladen	23.5/ 25 km/h		
Lift speed, laden /unladen	0.40/0.44 m/s		
Lowering speed, laden/unladen	0.46/0.44 m/s		
Gradeability, laden/unladen	25/23 %		
Engine Power (according to DIN ISO 1585)	77kw		
Operating pressure for attachments	180 Bar		

Due to continuous product improvement, specifications are subject to change without notice or obligation. Some systems and features shown are optional at extra cost.

# TASKX-SERIES

LPG  
FORKLIFT

EMAIL: SALES@TASKAUSTRALIA.COM.AU

WEB: TASKFORKLIFTS.COM.AU

CALL US: 1300 13 2002

• ADELAIDE • SYDNEY • MELBOURNE • BRISBANE • SINGAPORE • SHANGHAI • DALLAS •