

IC FORKLIFT

TASK X SERIES

SALES BROCHURE



FORKLIFT **SALES, SERVICE & RENTALS**



TASKFORKLIFTS.COM.AU



SALES@TASKAUSTRALIA.COM.AU



CALL US: 1300 13 2002

+ TASK X-SERIES

DUAL-FUEL TECHNOLOGY



3.3m - 6.5m
Lift Height



1.8T - 7T
Capacity



Container
Mast Option



Side-Shift as
Standard



5 Star Build
Quality



Wide-View
Mast

EXCEPTIONAL PERFORMANCE.

The TASK X-Series LPG forklift is designed to provide you with exceptional performance, comfort, and safety, making it the perfect choice for any business that requires efficient and reliable material handling. Whether you're in the warehouse, on the loading dock, or out in the yard, the TASK X-Series LPG forklift is the perfect solution for all your lifting and handling needs.

One of the key selling features of the TASK X-Series LPG forklift is its powerful Nissan engine. The high-performance dual-fuel engine that delivers outstanding torque and power, making it ideal for heavy-duty lifting and handling tasks.

Our forklift is also built for comfort and ergonomics, with an operator's compartment that is designed to reduce operator fatigue and increase productivity. The seat and steering wheel are fully adjustable, allowing operators of all sizes to work in comfort.

SAFETY FEATURES.

Safety is a top priority with the TASK X-Series LPG forklift. Our forklift is equipped with a range of safety features, including a high-visibility mast, automatic parking brake, and anti-roll back system.

The forklift also has a robust frame and chassis that is designed to withstand the toughest work environments, providing operators with confidence and peace of mind.



INDUSTRIES.



General
Warehousing



Factory



General
Engineering



Logistics &
Distribution



Supermarkets



Retail



Construction



Wineries &
Breweries

TASK X-SERIES

LPG
FORKLIFT

EMAIL: SALES@TASKAUSTRALIA.COM.AU

WEB: TASKFORKLIFTS.COM.AU

CALL US: 1300 13 2002

• ADELAIDE • SYDNEY • MELBOURNE • BRISBANE • SINGAPORE • SHANGHAI • DALLAS •

+ TASKX-SERIES

DUAL-FUEL TECHNOLOGY



Energy Efficient
LED Lights

ODS

Operator
Detection System



Reverse
Assist Grip



Overhead
Guard Protection



Wide-View
Mast.

1year
Unlimited Hours
Warranty

Manufacturers
Warranty

STANDARD FEATURES.

- 1800kg - 7000kg Lifting Capacity
- 2.5m - 6.5m Lifting Height
- Two stage and three stage mast configurations
- Full Free Lift Available with 3-stage mast configuration
- Internal Combustion Engine
- Tilting Mast as standard
- Side-shift function as standard
- Electric Power Steering
- Proportional Controls for precise handling
- Excellent Leg Room in the operator compartment
- Intuitive Dash Display
- Wide mast for increase visibility
- Low exhaust emissions
- Built to Australian Standards

OPTIONAL EXTRAS.



Container
Mast.



Integrated Side-shift
Fork Positioner.



Digital Weight
Gauge.



Worker
Accessories.



Rotator & Clamp
Attachments.



Optional
Camera.



TASKX-SERIES

LPG
FORKLIFT

EMAIL: SALES@TASKAUSTRALIA.COM.AU

WEB: TASKFORKLIFTS.COM.AU

CALL US: 1300 13 2002

• ADELAIDE • SYDNEY • MELBOURNE • BRISBANE • SINGAPORE • SHANGHAI • DALLAS •

+ TASKX-SERIES

DUAL-FUEL TECHNOLOGY

TASKX-SERIES

LPG
FORKLIFT

		X18 Series			X25 Series		
Load Capacity	(kg)	1750			2500		
Load Centre	(mm)	500			500		
Mast Type	(mm)	Triplex			Triplex		
Lift Height	(mm)	4700	5000	6000	4700	5000	6000
Collapsed Height	(mm)	2170	2270	2720	2200	2300	2750
Retained Capacity (at max. height)	(kg)	1400	1350	750	1900	1750	1000
Tyre		Solid Tyre			Solid Tyre		
Tyre size, Front		6.50-10-10PR			7.00-12-12PR		
Tyre size, Rear		5.00-8-10PR			6.00-9-10PR		
Wheels, Number front / rear		2x2			2x2		
Tilt of mast Forward/Backward	(deg.)	6/ 12			6/ 12		
Height of overhead guard	(mm)	2205			2215		
Length to Face of Forks	(mm)	2310			2605		
Overall Width	(mm)	1080			1155		
Fork Dimensions	(mm)	35 x 100 x 20			40 x 122 x 1070		
Ground clearance, centre of wheelbase	(mm)	140			150		
Turning radius	(mm)	2015			2245		
Travel speed, laden/unladen	(km/h)	18/18			19/19.4		
Lift speed, laden/unladen	(m/s)	0.51/0.51			0.56/0.56		
Lowering speed, laden/unladen	(m/s)	0.50/0.50			0.5/0.5		
Engine Manufacturer		Nissan GK21			Nissan GK25		
Transmission Manufacturer		Okamura			Okamura		
Engine Power	(kW)	31.5			38		
Rated Torque	(N·m/r/min)	144/1600			185/1600		
Operating pressure for attachments	(bar)	145			175		

+ TASKX-SERIES

DUAL-FUEL TECHNOLOGY

TASKX-SERIES

		X35 Series		
Load Capacity	(kg)	3500		
Load Centre	(mm)	500		
Mast Height	(mm)	Triplex		
Lift Height	(mm)	4500	5000	6000
Collapsed Height	(mm)	2165	2315	2765
Retained Capacity (at max. height)	(kg)	3050	2750	1650
Tyre		Solid Tyre		
Tyre size, Front		28x9-15-14PR		
Tyre size, Rear		6.50-10-10PR		
Wheels, Number front / rear		2x2		
Tilt of mast Forward/Backward	(deg.)	6/ 12		
Height of overhead guard	(mm)	2230		
Length to Face of Forks	(mm)	2800		
Overall Width	(mm)	1225		
Fork Dimensions	(mm)	50x122x1070		
Ground clearance, centre of wheelbase	(mm)	165		
Turning radius	(mm)	2415		
Travel speed, laden/unladen	(km/h)	17.9/18.3		
Lift speed, laden/unladen	(m/s)	0.385/0.385		
Lowering speed, laden/unladen	(m/s)	0.50/0.50		
Engine Manufacturer		Nissan GK25		
Transmission Manufacturer		Okamura		
Engine Power	(kW)	38		
Rated Torque	(N·m/r/min)	185/1600		
Operating pressure for attachments	(bar)	175		

LPG
FORKLIFT